



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Enterprise:	(note 2)
Environment:	Business critical
Availability:	24/7
Reliability:	High

ADATA SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
IS22	ADATA_IS22-128GM	SATA 3.0Gb/s	128	SSD		5.03.01	2.5"	OK 2013/04/08

Apacer SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
SAFD 25P-M	APS25P6B512G-DCM	SATA 3.0Gb/s	512	SSD		5.03.01	2.5"	OK 2013/04/19
SAFD 25P-M	APS25P6B256G-DCM	SATA 3.0Gb/s	256	SSD		5.03.01	2.5"	OK 2013/04/19
SAFD 25P-M	APS25P6B128G-DCM	SATA 3.0Gb/s	128	SSD		5.03.01	2.5"	OK 2013/04/10
SAFD 25P-M	APS25P6B064G-DCM	SATA 3.0Gb/s	64	SSD		5.03.01	2.5"	OK 2013/04/19
SAFD 25P-M	APS25P6B032G-DCM	SATA 3.0Gb/s	32	SSD		5.03.01	2.5"	OK 2013/04/19
SAFD 25P-M	APS25P6B016G-DCM	SATA 3.0Gb/s	16	SSD		5.03.01	2.5"	OK 2013/04/19

HGST

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Ultrastar 7K4000	HUS724040ALE640	SATA 6.0Gb/s	4000	7200	64	5.03.01	3.5"	OK 2012/08/23
Ultrastar 7K4000	HUS724030ALE640	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2012/08/23
Ultrastar 7K4000	HUS724020ALE640	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2012/08/23
Ultrastar 7K3000	HUA723030ALA640	SATA 6.0Gb/s	3000	7200	64	5.01.01	3.5"	OK 2011/06/14
Ultrastar 7K3000	HUA723020ALA640	SATA 6.0Gb/s	2000	7200	64	5.01.01	3.5"	OK 2011/06/14
Ultrastar 7K4000	HUS724040ALA640	SATA 6.0Gb/s	4000	7200	64	3.05.02.2	3.5"	OK 2013/08/09



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Travelstar 5K1000 EA	HTE541010A9E680	SATA 6.0Gb/s	1000	5400	8	5.03.01	2.5"	OK 2013/02/25
Travelstar 5K1000 EA	HTE541075A9E680	SATA 6.0Gb/s	750	5400	8	5.03.01	2.5"	OK 2013/02/25
Travelstar 5K1000 EA	HTE541064A9E680	SATA 6.0Gb/s	640	5400	8	5.03.01	2.5"	OK 2013/02/25

Intel SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
520 Series	SSDSC2CW480A3	SATA 6.0Gb/s	480	SSD	-	5.03.01	2.5"	OK 2013/04/19
520 Series	SSDSC2CW240A3	SATA 6.0Gb/s	240	SSD	-	5.03.01	2.5"	OK 2013/04/19
520 Series	SSDSC2CW180A3	SATA 6.0Gb/s	180	SSD	-	5.03.01	2.5"	OK 2013/04/11
520 Series	SSDSC2CW120A3	SATA 6.0Gb/s	120	SSD	-	5.03.01	2.5"	OK 2013/04/19
520 Series	SSDSC2CW060A3	SATA 6.0Gb/s	60	SSD	-	5.03.01	2.5"	OK 2013/04/19

OCZ SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Deneva 2	D2CSTK251A20-024	SATA 6.0Gb/s	240	SSD		5.03.01	2.5"	OK 2013/04/08

Sandisk SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
SanDisk X110	SD6SB1M-256G	SATA 6.0Gb/s	265	SSD		5.03.01	2.5"	OK 2013/04/19
SanDisk X110	SD6SB1M1-128G	SATA 6.0Gb/s	128	SSD		5.03.01	2.5"	OK 2013/04/16
SanDisk X110	SD6SB1M-064G	SATA 6.0Gb/s	64	SSD		5.03.01	2.5"	OK 2013/04/19
SanDisk Ultra Plus	SDSSDHP-256G	SATA 6.0Gb/s	256	SSD		5.03.01	2.5"	OK 2013/04/16
SanDisk Ultra Plus	SDSSDHP-128G	SATA 6.0Gb/s	128	SSD		5.03.01	2.5"	OK 2013/04/19
SanDisk Ultra Plus	SDSSDHP-064G	SATA 6.0Gb/s	64	SSD		5.03.01	2.5"	OK 2013/04/19



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Seagate									
Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *	
Constellation ES.3	ST4000NM0033	SATA 6.0Gb/s	4000	7200	128	5.03.01	3.5"	OK 2012/11/21	
Constellation ES.3	ST3000NM0033	SATA 6.0Gb/s	3000	7200	128	5.03.01	3.5"	OK 2012/11/21	
Constellation ES.3	ST2000NM0033	SATA 6.0Gb/s	2000	7200	128	5.03.01	3.5"	OK 2012/11/21	
Constellation ES.3	ST1000NM0033	SATA 6.0Gb/s	1000	7200	128	5.03.01	3.5"	OK 2012/11/21	
Constellation ES.2	ST33000650NS	SATA 6.0Gb/s	3000	7200	64	5.01.01	3.5"	OK 2011/06/14	
Constellation ES.2	ST33000645NS	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2012/11/21	
Constellation ES	ST2000NM0011	SATA 6.0Gb/s	2000	7200	64	5.01.05	3.5"	OK 2011/10/27	
Constellation ES	ST1000NM0011	SATA 6.0Gb/s	1000	7200	64	5.01.05	3.5"	OK 2011/10/27	
Constellation ES	ST500NM0011	SATA 6.0Gb/s	500	7200	64	5.01.05	3.5"	OK 2011/10/27	
Constellation CS	ST3000NC000	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Constellation CS	ST2000NC000	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Constellation CS	ST1000NC000	SATA 6.0Gb/s	1000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Constellation CS	ST3000NC002	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Constellation CS	ST2000NC001	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Constellation CS	ST1000NC001	SATA 6.0Gb/s	1000	7200	64	5.03.01	3.5"	OK 2013/03/15	
Barracuda ES.2	ST31000340NS	SATA 3.0Gb/s	1000	7200	32	-	3.5"	OK 2008/11/12	
Barracuda ES.2	ST3750330NS	SATA 3.0Gb/s	750	7200	32	-	3.5"	OK 2008/11/14	
Barracuda ES.2	ST3500320NS	SATA 3.0Gb/s	500	7200	32	-	3.5"	OK 2008/11/14	
Barracuda ES.2	ST3250310NS	SATA 3.0Gb/s	250	7200	32	-	3.5"	OK 2008/11/14	
Terascale HDD	ST4000NC000	SATA 6.0Gb/s	4000	5900	64	5.03.02	3.5"	OK 2013/08/09	
Terascale HDD	ST4000NC001	SATA 6.0Gb/s	4000	5900	64	5.03.02	3.5"	OK 2013/08/09	
Constellation ES.3	ST5000NM0024	SATA 6.0Gb/s	5000	7200	128	5.03.02.4	3.5"	OK 2014/03/04	
Video HDD	ST4000VM000	SATA 6.0Gb/s	4000	5900	64	5.03.02	3.5"	OK 2013/08/09	
Video HDD	ST3000VM002	SATA 6.0Gb/s	3000	5900	64	5.03.02	3.5"	OK 2014/05/27	
Video HDD	ST2000VM003	SATA 6.0Gb/s	2000	5900	64	5.03.02	3.5"	OK 2014/05/27	
Video HDD	ST1000VM002	SATA 3.0Gb/s	1000	5900	64	5.03.02	3.5"	OK 2014/05/27	
NAS HDD	ST4000VN000	SATA 6.0Gb/s	4000	5900	64	5.03.01.2	3.5"	OK 2013/05/27 (*10)	
NAS HDD	ST3000VN000	SATA 6.0Gb/s	3000	5900	64	5.03.01.2	3.5"	OK 2013/05/27 2014/05/26	
NAS HDD	ST2000VN000	SATA 6.0Gb/s	2000	5900	64	5.03.01.2	3.5"	OK 2013/05/27 2014/05/26	



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Toshiba

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
MG04ACAxxxE	MG04ACA500E	SATA 6.0Gb/s	5000	7200	128	5.03.02	3.5"	OK 2014/06/11
MG04ACAxxxE	MG04ACA400E	SATA 6.0Gb/s	4000	7200	128	5.03.02	3.5"	OK 2014/06/11
MG04ACAxxxE	MG04ACA300E	SATA 6.0Gb/s	3000	7200	128	5.03.02	3.5"	OK 2014/06/11
MG04ACAxxxE	MG04ACA200E	SATA 6.0Gb/s	2000	7200	128	5.03.02	3.5"	OK 2014/06/11
MC04ACAxxxE	MC04ACA500E	SATA 6.0Gb/s	5000	7200	128	5.03.02	3.5"	OK 2014/05/19
MC04ACAxxxE	MC04ACA400E	SATA 6.0Gb/s	4000	7200	128	5.03.02	3.5"	OK 2014/05/19
MC04ACAxxxE	MC04ACA300E	SATA 6.0Gb/s	3000	7200	128	5.03.02	3.5"	OK 2014/05/19
MC04ACAxxxE	MC04ACA200E	SATA 6.0Gb/s	2000	7200	128	5.03.02	3.5"	OK 2014/05/19
Enterprise	MG03ACA300	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2012/11/21
Enterprise	MG03ACA200	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2012/11/21
Enterprise	MG03ACA100	SATA 6.0Gb/s	1000	7200	64	5.03.01	3.5"	OK 2012/11/21
MKx002TSKB	MK2002TSKB	SATA 3.0Gb/s	2000	7200	64	5.02.02	3.5"	OK 2012/03/26
MKx002TSKB	MK1002TSKB	SATA 3.0Gb/s	1000	7200	64	5.02.02	3.5"	OK 2012/03/26

Transcend SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
SSD720	TS512GSSD720	SATA 6.0Gb/s	512	SSD		5.03.01	2.5"	OK 2013/04/10
SSD720	TS256GSSD720	SATA 6.0Gb/s	256	SSD		5.03.01	2.5"	OK 2013/04/19
SSD720	TS128SSD720	SATA 6.0Gb/s	128	SSD		5.03.01	2.5"	OK 2013/04/19
SSD720	TS64GSSD720	SATA 6.0Gb/s	64	SSD		5.03.01	2.5"	OK 2013/04/19



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Western Digital

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
WD RE	WD4000FYYZ	SATA 6.0Gb/s	4000	7200	64	5.03.01	3.5"	OK 2012/11/21
WD RE	WD3000FYYZ	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2012/11/21
WD RE	WD2000FYYZ	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2012/11/21
WD Se	WD4000F9YZ	SATA 6.0Gb/s	4000	7200	64	5.03.01	3.5"	OK 2013/08/09
WD SE	WD1002F9YZ	SATA 6.0Gb/s	1000	7200	128	5.03.02.4	3.5"	OK 2014/03/04

Consumer:	(note 2)
Environment:	Small office / Home
Availability:	8 Hours / day
Reliability:	Moderate

CORSAIR SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Neutron Series GTX	120GB	SATA 6.0Gb/s	120GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Neutron Series GTX	240GB	SATA 6.0Gb/s	240GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Neutron Series GTX	480GB	SATA 6.0Gb/s	480GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Force Series GS	128GB	SATA 6.0Gb/s	128GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Force Series GS	180GB	SATA 6.0Gb/s	180GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Force Series GS	240GB	SATA 6.0Gb/s	240GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Force Series GS	360GB	SATA 6.0Gb/s	360GB	SSD	-	5.03.01	2.5"	OK 2013/04/19
Force Series GS	480GB	SATA 6.0Gb/s	480GB	SSD	-	5.03.01	2.5"	OK 2013/04/19



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

TOSHIBA SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
THNSHxxxGCST	THNSNH512GCST	SATA 6.0Gb/s	512	SSD	-	5.03.01.2	2.5"	OK 2013/08/09
THNSHxxxGCST	THNSNH256GCST	SATA 6.0Gb/s	256	SSD	-	5.03.01.2	2.5"	OK 2013/08/09
THNSHxxxGCST	THNSNH128GCST	SATA 6.0Gb/s	128	SSD	-	5.03.01.2	2.5"	OK 2013/08/09
THNSHxxxGCST	THNSNH60GCST	SATA 6.0Gb/s	60	SSD	-	5.03.01.2	2.5"	OK 2013/08/09



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

HGST								
Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Deskstar 7K4000	HDS724040ALE640	SATA 6.0Gb/s	4000	7200	64	5.03.01	3.5"	OK 2012/08/23
Deskstar 7K3000	HDS723030ALA640	SATA 6.0Gb/s	3000	7200	64	5.01.01	3.5"	OK 2011/06/14
Deskstar 7K3000	HDS723020BLA642	SATA 6.0Gb/s	2000	7200	64	5.01.01	3.5"	OK 2011/06/14
Deskstar 7K3000	HDS723015BLA642	SATA 6.0Gb/s	1500	7200	64	5.01.01	3.5"	OK 2011/06/14
Deskstar 7K2000	HDS722020ALA330	SATA 3.0Gb/s	2000	7200	32	5.01.01	3.5"	OK 2009/10/22
Deskstar 7K1000.D	HDS721010DLE630	SATA 6.0Gb/s	1000	7200	32	5.02.02	3.5"	OK 2012/03/09
Deskstar 7K1000.D	HDS721075DLE630	SATA 6.0Gb/s	750	7200	32	5.02.02	3.5"	OK 2012/03/09
Deskstar 7K1000.D	HDS721050DLE630	SATA 6.0Gb/s	500	7200	32	5.02.02	3.5"	OK 2012/03/09
Deskstar 7K1000.D	HDS721032DLE630	SATA 6.0Gb/s	320	7200	32	5.02.02	3.5"	OK 2012/03/09
Deskstar 7K1000.D	HDS721025DLE630	SATA 6.0Gb/s	250	7200	32	5.02.02	3.5"	OK 2012/03/09
Deskstar 7K1000.C	HDS721010CLA332	SATA 3.0Gb/s	1000	7200	32	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721075CLA332	SATA 3.0Gb/s	750	7200	32	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721064CLA332	SATA 3.0Gb/s	640	7200	32	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721050CLA362	SATA 3.0Gb/s	500	7200	16	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721032CLA362	SATA 3.0Gb/s	320	7200	16	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721025CLA382	SATA 3.0Gb/s	250	7200	8	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.C	HDS721016CLA382	SATA 3.0Gb/s	160	7200	8	5.01.01	3.5"	OK 2011/07/06
Deskstar 7K1000.B	HDT721010SLA360	SATA 3.0Gb/s	1000	7200	16	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721075SLA360	SATA 3.0Gb/s	750	7200	16	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721064SLA360	SATA 3.0Gb/s	640	7200	16	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721050SLA360	SATA 3.0Gb/s	500	7200	16	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721032SLA360	SATA 3.0Gb/s	320	7200	16	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721025SLA380	SATA 3.0Gb/s	250	7200	8	5.01.01	3.5"	OK 2009/05/25
Deskstar 7K1000.B	HDT721016SLA380	SATA 3.0Gb/s	160	7200	8	5.01.01	3.5"	OK 2009/05/25
Deskstar E7K1000	HDE721010SLA330	SATA 3.0Gb/s	1000	7200	32	5.01.01	3.5"	OK 2009/03/23
Deskstar E7K1000	HDE721075SLA330	SATA 3.0Gb/s	750	7200	32	5.01.01	3.5"	OK 2009/03/23
Deskstar E7K1000	HDE721050SLA330	SATA 3.0Gb/s	500	7200	32	5.01.01	3.5"	OK 2009/03/23
Travelstar Z5K500	HTS545050A7E380	SATA 3.0Gb/s	500	5400	8	5.01.01	2.5"	OK 2011/07/06
Travelstar 5K1000	HTS541010A9E680	SATA 6.0Gb/s	1000	5400	8	5.03.01	2.5"	OK 2013/02/25



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Travelstar 5K1000	HTS541075A9E680	SATA 6.0Gb/s	750	5400	8	5.03.01	2.5"	OK 2013/02/25
Travelstar 5K1000	HTS541064A9E680	SATA 6.0Gb/s	640	5400	8	5.03.01	2.5"	OK 2013/02/25
MegaScale 4000	HMS5C4040ALE640	SATA 6.0Gb/s	4000	5700	64	5.03.01	3.5"	OK 2013/04/16
Travelstar 5K1000	HTE541010A9E680	SATA 6.0Gb/s	1000	5400	8	5.03.01	2.5"	OK 2013/04/19
Travelstar 5K1000	HTE541075A9E680	SATA 6.0Gb/s	750	5400	8	5.03.01	2.5"	OK 2013/04/19
Travelstar 5K1000	HTE541064A9E680	SATA 6.0Gb/s	640	5400	8	5.03.01	2.5"	OK 2013/04/19

MemoRight SSD

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Commercial Series	FTM Plus	SATA 6.0Gb/s	480	SSD		5.01.05	2.5"	OK 2011/11/30
Commercial Series	FTM Plus	SATA 6.0Gb/s	240	SSD		5.01.05	2.5"	OK 2011/11/30
Commercial Series	FTM Plus	SATA 6.0Gb/s	120	SSD		5.01.05	2.5"	OK 2011/11/30
Commercial Series	FTM Plus	SATA 6.0Gb/s	60	SSD		5.01.05	2.5"	OK 2011/11/30

Seagate

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Barracuda XT	ST4000DX000	SATA 6.0Gb/s	4000	7200	64	5.02.02	3.5"	OK 2012/03/15
Barracuda XT	ST33000651AS	SATA 6.0Gb/s	3000	7200	64	5.01.01	3.5"	OK 2011/06/14
Barracuda XT	ST32000641AS	SATA 6.0Gb/s	2000	7200	64	5.02.02	3.5"	OK 2012/08/23 (*8)
Barracuda	ST3000DM001	SATA 6.0Gb/s	3000	7200	64	5.01.05	3.5"	OK 2012/11/21 (*11)
Barracuda	ST2000DM001	SATA 6.0Gb/s	2000	7200	64	5.01.05	3.5"	OK 2012/11/21 (*11)
Barracuda	ST1500DM003	SATA 6.0Gb/s	1500	7200	64	5.02.02	3.5"	OK 2012/03/09
Barracuda	ST1000DM003	SATA 6.0Gb/s	1000	7200	64	5.02.02	3.5"	OK 2012/11/21 (*11)
Barracuda	ST750DM003	SATA 6.0Gb/s	750	7200	64	5.02.02	3.5"	OK 2012/03/09
Barracuda	ST500DM002	SATA 6.0Gb/s	500	7200	16	5.02.02	3.5"	OK 2012/03/09
Barracuda	ST320DM000	SATA 6.0Gb/s	320	7200	16	5.02.02	3.5"	OK 2012/03/09
Barracuda	ST250DM000	SATA 6.0Gb/s	250	7200	16	5.02.02	3.5"	OK 2012/03/09



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Barracuda Green	ST2000DL003	SATA 6.0Gb/s	2000	5900	64	5.01.04	3.5"	OK 2011/08/31
Barracuda Green	ST1500DL003	SATA 6.0Gb/s	1500	5900	64	5.01.04	3.5"	OK 2011/08/31
Barracuda LP	ST32000542AS	SATA 3.0Gb/s	2000	5900	32	5.02.02	3.5"	OK 2012/08/23 (*8)
Barracuda LP	ST31500541AS	SATA 3.0Gb/s	1500	5900	32	-	3.5"	OK 2009/10/22
Barracuda LP	ST31000520AS	SATA 3.0Gb/s	1000	5900	32	-	3.5"	OK 2009/10/22
Barracuda 7200.12	ST31000528AS	SATA 3.0Gb/s	1000	7200	32	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3750528AS	SATA 3.0Gb/s	750	7200	32	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3500418AS	SATA 3.0Gb/s	500	7200	16	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3500410AS	SATA 3.0Gb/s	500	7200	16	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3320418AS	SATA 3.0Gb/s	320	7200	16	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3250318AS	SATA 3.0Gb/s	250	7200	8	-	3.5"	OK 2009/05/25
Barracuda 7200.12	ST3160318AS	SATA 3.0Gb/s	160	7200	8	-	3.5"	OK 2009/05/25
Barracuda 7200.11	ST31500341AS	SATA 3.0Gb/s	1500	7200	32	-	3.5"	OK 2008/11/28
Desktop.15	ST4000DM000	SATA 6.0Gb/s	4000	5900	64	5.03.01	3.5"	OK 2013/04/24

Samsung

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Spinpoint F4	HD204UI	SATA 3.0Gb/s	2000	5400	32	5.01.01	3.5"	OK 2011/07/06
SpinPoint F1	HD103UJ	SATA 3.0Gb/s	1000	7200	32	-	3.5"	OK 2009/05/25

TOSHIBA

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
DT01ACA Series	DT01ACA300	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2012/11/21
DT01ACA Series	DT01ACA200	SATA 6.0Gb/s	2000	7200	64	5.03.01	3.5"	OK 2012/11/21
DT01ACA Series	DT01ACA100	SATA 6.0Gb/s	1000	7200	32	5.03.01	3.5"	OK 2012/11/21
DT01ACA Series	DT01ACA050	SATA 6.0Gb/s	500	7200	32	5.03.01	3.5"	OK 2012/11/21



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Western Digital

Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
WD Black	WD3001FAEX	SATA 6.0Gb/s	3000	7200	64	5.03.01	3.5"	OK 2013/04/30 (*9)
Caviar Black	WD2002FAEX	SATA 6.0Gb/s	2000	7200	64	5.02.02	3.5"	OK 2012/04/06(*10)
Caviar Black	WD1502FAEX	SATA 6.0Gb/s	1500	7200	64	5.02.02	3.5"	OK 2012/03/26(*10)
Caviar Black	WD1002FAEX	SATA 6.0Gb/s	1000	7200	64	5.02.02	3.5"	OK 2012/04/06(*10)
Caviar Blue	WD10EALX	SATA 6.0Gb/s	1000	7200	32	-	3.5"	OK 2010/12/10(*10)
Caviar Blue	WD10EALS	SATA 3.0Gb/s	1000	7200	32	-	3.5"	OK 2010/09/02(*10)
Caviar Blue	WD6400AAKS	SATA 3.0Gb/s	640	7200	16	-	3.5"	OK 2008/11/12(*10)
Caviar Blue	WD5000AAKS	SATA 3.0Gb/s	500	7200	16	-	3.5"	OK 2008/11/12(*10)
Caviar Blue	WD4000AAKS	SATA 3.0Gb/s	400	7200	16	-	3.5"	OK 2008/11/14(*10)
Caviar Blue	WD3200AAKS	SATA 3.0Gb/s	320	7200	16	-	3.5"	OK 2008/11/12(*10)
Caviar Blue	WD2500AAKS	SATA 3.0Gb/s	250	7200	16	-	3.5"	OK 2008/11/14(*10)
Caviar Blue	WD800AAJS	SATA 3.0Gb/s	80	7200	8	-	3.5"	OK 2008/11/12(*10)
Caviar Green	WD10EACS	SATA 3.0Gb/s	1000	IntelliPower™	16	-	3.5"	OK 2008/11/12(*10)
Caviar Green	WD7500AACS	SATA 3.0Gb/s	750	IntelliPower™	32	-	3.5"	OK 2008/11/14(*10)
Caviar Green	WD6400AACS	SATA 3.0Gb/s	640	IntelliPower™	32	-	3.5"	OK 2008/11/14(*10)
Caviar Green	WD5000AACS	SATA 3.0Gb/s	500	IntelliPower™	32	-	3.5"	OK 2008/11/14(*10)
WD Red NAS HDD	WD30EFRX	SATA 6.0Gb/s	3000	IntelliPower™	64	5.02.02	3.5"	OK 2013/08/09
WD Red NAS HDD	WD20EFRX	SATA 6.0Gb/s	2000	IntelliPower™	64	5.02.02	3.5"	OK 2013/08/09
WD Red NAS HDD	WD10EFRX	SATA 6.0Gb/s	1000	IntelliPower™	64	5.02.02	3.5"	OK 2013/08/09
WD Scorpio Blue	WD10JPVT	SATA 3.0Gb/s	1000	SSD	8	1	2.5"	OK 2013/08/09
WD AV-25	WD10JUCT	SATA 3.0Gb/s	1000	SSD	8	1	2.5"	OK 2013/08/09
RM500	WD10JFCX	SATA 6.0Gb/s	1000	IntelliPower™	16	NASware™ 2.0	2.5"	OK 2013/08/23
RM500	WD7500BFCX	SATA 6.0Gb/s	750	IntelliPower™	16	NASware™ 2.0	2.5"	OK 2013/08/23
RM1000	WD40EFRX	SATA 6.0Gb/s	4000	IntelliPower™	64	NASware™ 2.0	3.5"	OK 2013/08/23



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Not recommended	
Environment:	Not recommended for RAID environment
Availability:	Not recommended for RAID environment
Reliability:	Not recommended for RAID environment

Western Digital								
Series	Model	Interface	Capacity (GB)	Rotational Speed (RPM)	Buffer Size (MB)	NAS Firmware	Form Factor	Recently Updated *
Caviar Black	WD6402AAEX	SATA 6.0Gb/s	640	7200	64	-	3.5"	Not recommend (*9)
Caviar Black	WD2001FASS	SATA 3.0Gb/s	2000	7200	64	-	3.5"	Not recommend (*9)
Caviar Blue	WD7500AALX	SATA 6.0Gb/s	750	7200	32	-	3.5"	Not recommend (*9)
Caviar Blue	WD5000AAKX	SATA 6.0Gb/s	500	7200	16	-	3.5"	Not recommend (*9)
WD Caviar Green	WD20EARX	SATA 6.0Gb/s	2000	IntelliPower™	64	-	3.5"	Not recommend (*9)
WD Caviar Green	WD15EARX	SATA 6.0Gb/s	1500	IntelliPower™	64	-	3.5"	Not recommend (*9)
WD Caviar Green	WD10EARX	SATA 6.0Gb/s	1000	IntelliPower™	64	-	3.5"	Not recommend (*9)
Caviar Green	WD20EARS	SATA 3.0Gb/s	2000	IntelliPower™	64	-	3.5"	Not recommend (*9)
Caviar Green	WD15EARS	SATA 3.0Gb/s	1500	IntelliPower™	64	-	3.5"	Not recommend (*9)
Caviar Green	WD10EARS	SATA 3.0Gb/s	1000	IntelliPower™	64	-	3.5"	Not recommend (*9)
Caviar Green	WD20EADS	SATA 3.0Gb/s	2000	IntelliPower™	32	-	3.5"	Not recommend (*9)
Caviar Green	WD15EADS	SATA 3.0Gb/s	1500	IntelliPower™	32	-	3.5"	Not recommend (*9)
Caviar Green	WD10EADS	SATA 3.0Gb/s	1000	IntelliPower™	32	-	3.5"	Not recommend (*9)
AV-GP	WD20EVDS	SATA 3.0Gb/s	2000	IntelliPower™	32	-	3.5"	Not recommend (*9)



N7700/N7700SAS/N8800/N8800SAS SATA HDD/SSD Compatibility List

Notes:

1. It's recommended to have the newest available firmware installed on the NAS.
2. For business critical environments, we HIGHLY RECOMMEND using enterprise HDD'S:
 - Enterprise versus Desktop HDD's (Intel)
ftp://download.intel.com/support/motherboards/server/sb/enterprise_class_versus_desktop_class_hard_drives_.pdf
 - Western Digital TLER
<http://www.wdc.com/en/library/other/2579-001098.pdf>
 - Samsung CCTL
http://www.samsung.com/global/business/hdd/learningresource/whitepapers/LearningResource_CCTL.html
 - Seagate ERC
<http://seagate.custkb.com/seagate/crm/selfservice/search.jsp?DocId=203991&NewLang=en>
3. The listed HDD's have all been tested in room temperature environments.
4. Please keep the NAS in an airconditioned environment.
5. Thecus does NOT guarantee any RAID data safety and the NAS storage administrator should back up important data regularly.
6. The EXT3 File System is limited to 8TB per volume. Use one of the following methods for larger RAID volumes:
 - 6.1 Use another File System (XFS, EXT4, ZFS) that supports larger RAID volumes.
 - 6.2 Use multiple RAID volumes.
 - 6.3 For details info, please refer to the online knowledge base:
http://esupport.thecus.com/support/index.php?_m=knowledgebase&_a=viewarticle&kbarticleid=136
7. The EXT4 and XFS File System has a limitation of 16TB per volume.
8. For NAS using Seagate **ST32000641AS** and **ST32000542AS** drives, please upgrade to v5.02.02 or later version to fix the detecting issue.
9. WD has suggested not to use the desktop consumer hard disk in business-critical RAID environments because the drives may not work correctly.
For more detail, please refer to http://wdc.custhelp.com/app/answers/detail/a_id/1397
10. The hard disks have passed Thecus lab's initial verification of compatibility.
However, WD has suggested not to use the desktop consumer hard disk drives in business-critical RAID environments because the drives may not work correctly.
For more detail, please refer to http://wdc.custhelp.com/app/answers/detail/a_id/1397
- 11 For Seagate ST3000DM001, ST2000DM001, ST1500DM003 & ST1000DM003 series with part number 9YN16x, please confirm the HDD firmware been updated or check from following link.
http://knowledge.seagate.com/articles/en_US/FAQ/223651en
https://apps1.seagate.com/downloads/request.html?userPreferredLocaleCookie=en_US_